





Bioengineering 280A  
 Principles of Biomedical Imaging  
 Fall Quarter 2010  
 CT/Fourier Lecture 4


TT Liu, BE280A, UCSD Fall 2010



## Fourier Reconstruction



## Polar Version of Inverse FT



Note :

$$g(l, \theta + \pi) = g(-l, \theta)$$

So

$$G(k, \theta + \pi) = G(-k, \theta)$$

## Filtered Backprojection

$$\begin{aligned}\mu(x, y) &= \int_0^{\pi} \int_{-\infty}^{\infty} G(k, \theta) e^{j2\pi(xk \cos \theta + yk \sin \theta)} |k| dk d\theta \\ &= \int_0^{\pi} \int_{-\infty}^{\infty} |k| G(k, \theta) e^{j2\pi k l} dk d\theta \\ &= \int_0^{\pi} g^*(l, \theta) d\theta \quad \text{Backproject a filtered projection}\end{aligned}$$


where  $l = x \cos \theta + y \sin \theta$

$$\begin{aligned}g^*(l, \theta) &= \int_{-\infty}^{\infty} |k| G(k, \theta) e^{j2\pi k l} dk \\ &= g(l, \theta) * F^{-1}[|k|] \\ &= g(l, \theta) * q(l)\end{aligned}$$

TT Liu, BE280A, UCSD Fall 2010

Suetens 2002

## Fourier Interpretation



$$\text{Density} \approx \frac{N}{\text{circumference}} \approx \frac{N}{2\pi|k|}$$


Low frequencies are oversampled. So to compensate for this, multiply the k-space data by  $|k|$  before inverse transforming.




TT Liu, BE280A, UCSD Fall 2010

Kak and Slaney; Suetens 2002


## Ram-Lak Filter




## Reconstruction Path




## Reconstruction Path




## Example



## Example




**Figure 6.15**  
Convolution step:  
(a) Original sinogram;  
(b) filtered sinogram;  
(c) profile of sinogram row [white line in (a)]; and  
(d) profile of filtered sinogram row [white line in (b)].




TT Liu, BE280A, UCSD Fall 2010

Prince and Links 2005

## Example



**Figure 6.16**  
Backprojection step.



**Figure 6.17**  
Summation step.

TT Liu, BE280A, UCSD Fall 2010

Prince and Links 2005